



Loose Fill Playground Safety Surfacing at its Best





Products you can trust

Ahs playground safety surfacings are high quality products manufactured from sustainable materials. Suitable for use in all playground areas, walkways, adventure trails & trim tracks.

From a Company you can trust

Established in 1992, Ahs has grown to become one of the largest and premier suppliers/manufacturers of woodchip and bark related products to the playground and landscape industries throughout the United Kingdom.

We work hard to ensure we provide a superior service along with quality products, competitive prices and raw materials which are obtained from renewable or sustainable sources. We are currently working towards FSC certification for our hardwood playground chips.



Hardwood Playground Chips

Product Description

100% British Hardwood from sustainable sources

98% of particles range from 5-30mm

Long Lasting

100% natural product and contains no additives or colouring

Light to pale brown in colour

Wood content 95%+

Screened and processed to remove 98% of fines and material below 5mm

Free from pests, weeds, pathogens and has not been treated with methyl bromide

Free of all foreign matter such as large stones, plastic, glass and any other extraneous materials

Features and Benefits

Conforms to BS EN 1176 by using the testing process BS EN 1177. For intended use as an Impact Absorbing Playground Safety Surface at a depth of 150mm and 300mm

Critical fall height in excess of 3m at 150mm and 300mm depth

BS 7188-1998 Ease of Ignition Test

Durable and long lasting

Easy to use and maintain

Free draining and provides a clean play surface all year long

Attractive and suitable for use in rural, urban and exposed sites

Suitable for use with all playground equipment

Hardwood Playground chips deters use by cats and dogs

Areas of Use

All Playground Areas 😊😊

Adventure Trails 😊😊

Fitness & Trim Tracks 😊😊

Walkways 😊😊

Available in

Bulk Loose ✓

80ltr Bags ✓

Bulk Bags ✓

Most suited 😊😊

Can be used 😊

Not suitable 😞

Available ✓

Not presently available ✗


3 ways to order

t 01797 252728

f 01797 252724

e sales@ahs-ltd.co.uk

Please Note: Due to the nature of this product and the screening process oversize pieces of wood may occur. However, these can easily be removed at the time of installation.



Pine Playground Bark

18-35mm & 30-60mm

Product Description

Produced from Premium British Pine Bark

Nominal particle size range of between 18-35mm & 30-60mm

100% natural product and contains no additives or colouring

Screened and processed to remove 98% of fines

Contains minimal whitewood, normally within 5% (by volume basis)

Free from pests, weeds, pathogens and has not been treated with methyl bromide

Free of all foreign matter such as large stones, plastic, glass and any other extraneous materials

Reddy brown in colour with rich pine odour

Features and Benefits

Conforms to BS EN 1176 by using the testing process BS EN 1177

Critical fall height of 1.62m at 100mm depth and in excess of 3m at 300mm depth

BS 7188-1998 Ease of Ignition Test

Durable and long lasting

Easy to use and maintain

Free draining and provides a clean play surface all year round

Suitable for use in rural or urban areas and on exposed sites

Suitable for use with most playground equipment

Areas of Use

All Playground Areas	😊😊
Adventure Trails	😊😊
Fitness & Trim Tracks	😊😊
Walkways	😊😊

Available in

Bulk Loose	✓
80ltr Bags	✗
Bulk Bags	✗

Most suited	😊😊
Can be used	😊
Not suitable	😞
Available	✓
Not presently available	✗

3 ways to order

t 01797 252728

f 01797 252724

e sales@ahs-ltd.co.uk

Please Note: Due to the nature of this product and the screening process oversize pieces of wood may occur. However, these can easily be removed at the time of installation.



Maritime Pine Playground Bark

20-50mm

Product Description

Produced from Premium European Maritime Pine Bark

90% of nominal particle size range is between 20-50mm

100% natural product and contains no additives or colouring

Screened and processed to remove 98% of fines

Contains minimal whitewood, normally within 5% (by volume basis)

Moisture content in the region of 45-55% (green weight basis on delivery)

Free from pests, weeds, pathogens and has not been treated with methyl bromide

Free of all foreign matter such as large stones, plastic, glass and any other extraneous materials

Reddy brown in colour with rich pine odour

Features and Benefits

Conforms to BS EN 1176 by using the testing process BS EN 1177

Critical fall height of 1.31m at 100mm depth and in excess of 3m at 300mm depth

BS 7188-1998 Ease of Ignition Test

Durable and long lasting

Easy to use and maintain

Free draining and provides a clean play surface all year round

Suitable for use in rural or urban areas and on exposed sites

Suitable for use with most playground equipment

Areas of Use

All Playground Areas	😊😊
Adventure Trails	😊😊
Fitness & Trim Tracks	😊😊
Walkways	😊😊

Available in

Bulk Loose	✓
80ltr Bags	✓
Bulk Bags	✓

Most suited	😊😊
Can be used	😊
Not suitable	😞
Available	✓
Not presently available	✗

3 ways to order

t 01797 252728

f 01797 252724

e sales@ahs-ltd.co.uk

Please Note: Due to the nature of this product and the screening process oversize pieces of wood may occur. However, these can easily be removed at the time of installation.



*Good reasons why
you should use
Ahs Playground
loose fill safety
surfacing*

They are 100% natural

Environmentally friendly

From sustainable and
renewable sources

100% Recyclable

Manufactured and compliant to
British and European Standards

Provide outstanding value and
product life

Excellent delivery service and
nationwide availability

....Need we say more!



Playground Bark 8-40mm

Product Description

An Economy Playground Bark ideal for surfacing on a budget

Produced from mixed conifer bark predominantly of pine in origin

90% of particles range from 8-40mm

100% natural product and contains no additives or colouring

Fines content less than 5%

Contains minimal whitewood, normally within 10% (by volume basis)

The weight / volume ratio (bulk density) is normally in the range of 200-300kg/m³

Free from pests, weeds, pathogens and has not been treated with methyl bromide

Free of all foreign matter such as large stones, plastic, glass and any other extraneous materials

Mid brown in colour with a pleasant odour

Features and Benefits

Conforms to BS EN 1176 by using the testing process BS EN 1177. For use as an Impact Absorbing Playground Safety Surface at a depth of 150mm and 300mm

Critical fall height in excess of 3m at 300mm depth and a maximum of 2.64m at 150mm depth

BS 7188-1998 Ease of Ignition Test

Durable and long lasting

Easy to use and maintain

Free draining and provides a clean play surface all year round

Suitable for use in rural or urban areas

Suitable for use with all playground equipment

Areas of Use

All Playground Areas	😊😊
Adventure Trails	😊
Fitness & Trim Tracks	😊
Walkways	😊

Available in

Bulk Loose	✓
80ltr Bags	✓
Bulk Bags	✗

Most suited	😊😊
Can be used	😊
Not suitable	😞
Available	✓
Not presently available	✗

3 ways to order

t 01797 252728

f 01797 252724

e sales@ahs-ltd.co.uk

Please Note: Due to the nature of this product and the screening process oversize pieces of wood may occur. However, these can easily be removed at the time of installation.



Playfall

Product Description

An Economy Playground Safety Surface

Produced from softwood cundy peelings

Nominal particle size 1-100mm

100% natural product and contains no additives or colouring

Fines and dust content 15%

Wood content 95%+

The weight / volume ratio (bulk density) is normally in the range of 80-130kg/m³

Free from pests, weeds, pathogens and has not been treated with methyl bromide

Free of all foreign matter such as metal, plastic, glass and any other extraneous materials

Light brown in colour with a pleasant odour

Features and Benefits

Conforms to BS EN 1176 by using the testing process BS EN 1177. For use as an Impact Absorbing Playground Safety Surface at a depth of 150mm and 300mm

Critical fall height in excess of 3m at 300mm depth and a maximum of 1.99m at 150mm depth

BS 7188-1998 Ease of Ignition Test

Durable with a life span of between 12 and 24 months

Easy to use and maintain

Free draining and provides a clean play surface all year round

Suitable for use in rural or urban areas but not best suited to exposed sites

Not suitable for use with all playground equipment

Areas of Use

All Playground Areas	😊
Adventure Trails	😊
Fitness & Trim Tracks	😊
Walkways	😊

Available in

Bulk Loose	✓
80ltr Bags	✗
Bulk Bags	✗

Most suited	😊😊
Can be used	😊
Not suitable	😞
Available	✓
Not presently available	✗

3 ways to order

t 01797 252728

f 01797 252724

e sales@ahs-ltd.co.uk

Please Note: Due to the nature of this product and the screening process oversize pieces of wood may occur. However, these can easily be removed at the time of installation.



Playground Pin Chips 8-20mm

Product Description

An Economical Safety Surfacing

Produced from a blend of hardwood and softwood species

90% of nominal particle size range is between 8-20mm

100% natural product and contains no additives or colouring

Fines content less than 5% (less than 8mm)

Wood content 95%+

Moisture content in the region of 40-60% (subject to seasonal variation)

Free from pests, weeds, pathogens and has not been treated with methyl bromide

Free of all foreign matter such as large stones, plastic, glass and any other extraneous materials

Light brown in colour with a pleasant odour

Features and Benefits

Conforms to BS EN 1176 by using the testing process BS EN 1177. For use as an Impact Absorbing Playground Safety Surface at a depth of 150mm and 300mm

Critical fall height in excess of 3m at 300mm depth and a maximum of 2.81m at 150mm depth

BS 7188-1998 Ease of Ignition Test

Durable with a medium life span of between 2-3 years

Easy to use and maintain

Free draining and provides a clean play surface all year round

Suitable for use in rural or urban areas

Suitable for use with most playground equipment

Areas of Use

All Playground Areas 😊😊

Adventure Trails 😊😊

Fitness & Trim Tracks 😊😊

Walkways 😊😊

Available in

Bulk Loose ✓

80ltr Bags ✗

Bulk Bags ✗

Most suited 😊😊

Can be used 😊

Not suitable 😞

Available ✓

Not presently available ✗


3 ways to order

t 01797 252728

f 01797 252724

e sales@ahs-ltd.co.uk

Please Note: Due to the nature of this product and the screening process oversize pieces of wood may occur. However, these can easily be removed at the time of installation.



Ahs Playground Sand

A washed, screened and moist Silica sand.

This product has also been tested and meets the requirements BS EN 71-3 (Toxicity)

Silica sand being a fire suppressant is non flammable and the individual grains are too small to present a choking hazard to a child, but it is recommended that children aged 3 and under should be supervised by an adult


Areas of Use

All Playground Areas	😊😊
Play Pits	😊😊
Interior Play Areas	😊😊

Available in

Bulk Loose	✓
25kg Bags	✓
Bulk Bags	✗

Most suited	😊😊
Can be used	😊
Not suitable	😞
Available	✓
Not presently available	✗



Playground Area Membrane

Product Description

A tough and tear resistant 100% polypropylene membrane ideal for use under all playground LIAS areas. It is UV resistant with a life expectancy of up to 5 years.

Roll sizes available

1 x 50m	1 x 100m
2 x 50m	2 x 100m
3.3 x 50m	3.3 x 100m
4 x 50m	4 x 100m
5 x 50m	5 x 100m

3 ways to order

t 01797 252728
 f 01797 252724
 e sales@ahs-ltd.co.uk



Forest to Playground

Hardwood Playground Chips

Ahs is involved in the whole process

Our in-house teams work with woodland and forestry owners and are responsible for the purchasing, harvesting and processing of over 90% of our hardwood requirements from sustainable sources.

This not only supports rural economies but helps maintain the natural biodiversity of the forest through increased management.



- ▲ Our forwarder collecting felled hardwood from one of our forests
- ▼ Following chipping our hardwood is screened to produce a high quality playground safety surfacing

At AHS we're always here for whatever you need


Our Sales Team



Khalid Hareshe
Sales Manager



Leanne Lawrence
Senior Sales Consultant



Danyel Stratford
Senior Sales Consultant

3 ways to order

t 01797 252728
f 01797 252724
e sales@ahs-ltd.co.uk

AHS Ltd
Coppards Lane Northiam
East Sussex TN31 6QP

Loose Fill Playground Safety Surfacing at its Best



Amenity Horticultural Services Ltd Coppards Lane Northiam East Sussex TN31 6QP
t 01797 252728 f 01797 252724 e sales@ahs-ltd.co.uk www.ahs-ltd.co.uk

